


BUILDING BLOCK ID'S AND INDICATORS	
PHYSICAL PORT ID	<u>402</u>
LOGICAL PORT ID	<u>404</u>
PARTITION ID	<u>406</u>
PROTECT INDICATOR	<u>408</u>
COMMIT INDICATOR	<u>410</u>
STATUS INDICATOR	<u>412</u>

400

REF ID: A343262

FIG 5A



130042297-3403002

FIG 5B




FIG 5C






FIG 5D

TECHNICAL DRAWING



**FIG 6**

10/20




FIG. 7

32GB-1B

0x7\_FFFF\_FFFF

4GB  
4GB-16MG  
4GB-20MG  
4GB-32MG

2GB

16MB

1MB

512KB




FIG. 8




FIG. 9




FIG. 10




FIG. 11A

15/20




FIG. 11B

16/20




FIG. 11C




FIG. 12




FIG. 13

Port 0 Partition  
Configuration Register

89

31	Reserved
30	
29	
28	
27	
26	
25	
24	
23	
22	
21	
20	
19	
18	
17	
16	
15	
14	
13	
12	
11	
10	
9	
8	POEnable
7	
6	POPartWrProt
5	POPortWrProt
4	POCommit
3	POLogID
2	
1	POParNum
0	

91

77

78

79

92

93

FIG. 14




FIG. 15